# The Trail Inventory of Wallkill River NWR

Sussex, NJ





Prepared By: Federal Highway Administration Central Federal Lands Highway Division April, 2012



### TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	TRAIL AND TRAIL FEATURE SUMMARIES	1 - 1
II.	TRAIL LOCATION MAPS	2 - 1
III.	TRAIL IDENTIFICATION LIST	3 - 1
IV.	TRAIL CONDITION RATING SHEETS	4 - 1
V.	TRAIL DEFICIENCY RATING SHEETS	5 - 1
VI.	PHOTOGRAPHIC SHEETS	6 - 1
VII.	GLOSSARY	i

#### **Wallkill River NWR**

#### **Trail and Trail Feature Summaries**

Trail Miles and Percentages by Surface Type and Condition

Trail Surface	Excel	lent	Total	
Туре	Miles	%	Miles	
Native	2.56	100%	2.56	
Gravel	1.30	100%	1.30	
Mowed	5.23	100%	5.23	
Total	9.09	100%	9.09	

Trail Miles and Percentages by Trail Classification and Condition

Trail	Excellen	t	Total	
Classification	Miles	%	Miles	
тсз	8.22 10	0%	8.22	
TC4	0.87 10	0%	0.87	
Total	9.09 10	0%	9.09	

<sup>\*</sup>Admin Roads are included in the inventory but are not rated for condition.

#### **Trail Features**

Trail Number	Feature Type	Quantity	Grouped Feature	Milepost	Photo
T300	Sign	1	No	0.00	WARI_C2_003 0
T300	Sign	1	No	0.00	WARI_C2_003
T300	Bench	1	No	0.00	
T300	Trailhead	1	No	0.00	WARI_C2_003 2
T300	Sign	1	No	0.02	WARI_C2_095 2
T300	Begin Section	1	No	0.04	WARI_C2_003 3
T300	Bench	1	No	0.05	
T300	Bench	1	No	0.12	
T300	Bench	1	No	0.12	
T300	Bridge -sf	105	No	0.12	WARI_C2_003 4
T300	Bench	1	No	0.22	
T300	Sign	1	No	0.26	WARI_C2_003 5
T300	Bench	1	No	0.26	
T300	Begin Section	1	No	0.35	WARI_C2_003 6
T300	Begin Section	1	No	0.35	WARI_C2_003 8
T300	Bench	1	No	0.39	
T300	Culvert -If	15	No	0.43	
T300	Culvert -If	12	No	0.47	
T300	Bench	1	No	0.68	
T300	Culvert -If	15	No	0.72	
T300	Sign	1	No	0.76	WARI_C2_004 0
T300	Bench	1	No	0.76	
T301	Sign	1	No	0.00	WARI_C2_092 0
T301	Trailhead	1	No	0.00	WARI_C2_092 1
T301	Sign	1	No	0.00	WARI_C2_091
T301	Sign	1	No	0.04	WARI_C2_092 2
T301	Bench	1	No	0.06	
T301	Begin Section	1	No	0.06	WARI_C2_092 4

T301	Step Stones -each	6	No	0.22	
T301	Sign	1	No	0.22	WARI_C2_004 5
T301	Bench	1	No	0.35	
T301	Sign	1	No	0.35	WARI_C2_004 6
T301	Culvert -If	8	No	0.55	
T301	Bench	1	No	0.57	
T301	Bench	1	No	0.85	
T301	Bench	1	No	1.20	
T301	Culvert -If	8	No	1.37	
T301	Bench	1	No	1.41	
T301	Culvert -If	8	No	1.47	
T301	Culvert -If	8	No	1.51	
T301	Intersection	1	No	1.57	WARI_C2_094 0
T301	Bench	1	No	1.66	
T301	Sign	1	No	1.74	WARI_C2_004 4
T302	Bench	1	No	0.00	
T302	Sign	2	No	0.00	WARI_C2_004 8
T302	Trailhead	1	No	0.00	WARI_C2_004
T302	Sign	1	No	0.27	WARI_C2_004
T302	Bench	1	No	0.44	
T302	Bench	1	No	1.50	
T302	Sign	1	No	1.72	WARI_C2_005 0
T302	Bench	1	No	1.72	
T302	Sign	1	No	1.73	WARI_C2_005
T302	Culvert -If	12	No	1.78	
T302	Bench	1	No	2.05	
T302	Sign	1	No	2.47	WARI_C2_005
T303	Trailhead	1	No	0.00	WARI_C2_090 5
T303	Sign	1	No	0.00	WARI_C2_090
T303	Max Grade- %	23	No	0.00	
T303	Gate	1	No	0.01	WARI_C2_090 6
T303	Culvert -If	30	No	0.11	
T303	Gate	1	No	0.99	WARI_C2_091
T303	Gate	1	No	1.04	WARI_C2_090 9


T000	Out and If	20	No	1.00	
T303	Culvert -If	20	No	1.09	
T400	Trailhead	1	No	0.00	WARI_C2_000 1
T400	Sign	2	No	0.00	WARI_C2_000 2
T400	Sign	1	No	0.00	WARI_C2_000 3
T400	Sign	1	No	0.00	WARI_C2_000 4
T400	Sign	1	No	0.01	WARI_C2_000 5
T400	Bench	1	No	0.01	
T400	Sign	1	No	0.02	WARI_C2_000 6
T400	Sign	1	No	0.04	WARI_C2_000 7
T400	Bench	1	No	0.13	
T400	Bench	1	No	0.26	
T400	Sign	1	No	0.26	WARI_C2_000 8
T400	Bench	1	No	0.26	
T400	Bench	1	No	0.26	
T400	Sign	1	No	0.26	WARI_C2_000 9
T400	Sign	1	No	0.29	WARI_C2_001 0
T400	Bridge -sf	144	No	0.29	WARI_C2_001 1
T400	Sign	1	No	0.32	WARI_C2_001 2
T400	Bench	1	No	0.35	
T400	Sign	1	No	0.37	WARI_C2_001 3
T400	Sign	1	No	0.66	WARI_C2_001 4
T400	Bench	1	No	0.66	
T400	Begin Section	1	No	0.66	WARI_C2_001 5
T400	Sign	1	No	0.71	WARI_C2_001
T400	Culvert -If	12	No	0.72	
T400	Sign	1	No	0.80	WARI_C2_001 8
T400	Lookout/Ob Deck	1	No	0.80	
T400	Bench	1	No	0.88	
T400	Sign	1	No	0.89	WARI_C2_002 0
T400	Sign	1	No	1.00	WARI_C2_002
					<u>'</u>

T400	Sign	1	No	1.06	WARI_C2_002 2
T400	Sign	1	No	1.18	WARI_C2_002 3
T400	Bridge -sf	165	No	1.28	WARI_C2_002 4
T400	Bridge -sf	210	No	1.30	WARI_C2_002 5
T400	Begin Section	1	No	1.30	WARI_C2_002 7
T400	Sign	1	No	1.30	WARI_C2_002 6
T400	Bench	1	No	1.34	
T400	Sign	1	No	1.42	WARI_C2_002 8
T400	Sign	1	No	1.47	WARI_C2_002 9

sf - square feet If - linear feet

cf - cubic feet

## Wallkill River NWR Trail Location Map










#### Trails ID

Station Name: Wallkill River NWR Org Code: 52610

Trail Number	Trail Name	Surface Type	SAMMS	Trail Mileage	Trail Description (Begin and End point of trail)
T300	Dagmar Dale Nature Trail South Loop	Mowed	10054836	0.81	From South of Visitor Access Rd (Rte 010) to West of Dagmar Dale Nature Trail North Loop (T301)
T301	Dagmar Dale Nature Trail North Loop	Mowed	10054836	1.74	From North of Dagmar Dale Nature Trail Pkg (Rte 921) to End of loop
T302	Liberty Loop Trail	Mowed	N/A	2.47	From West of Liberty Loop Trail Parking (Rte 905) to End of loop
T303	Timberdoodle Trail	Native	N/A	2.56	From Parking Lot (Rte. 935) at Bassetts Bridge Road to End of Trail
T400	Wood Duck Nature Trail	Gravel	10023074	1.30	From South of Wood Duck Trail Parking (Rte 920) to Dead end
T400	Wood Duck Nature Trail	Mowed	10023074	0.21	From South of Wood Duck Trail Parking (Rte 920) to Dead end



	0.1	0	0.1		0.2	0.3 Mile	25	
	Excellent	Go	ood Fair		Poor	Very Po	or 🚺	Admin Road
A	Begin Section		Check Dam		Step Feature	$\boxtimes$	Gate	N N
H	Trailhead	~	Retaining Wall		Max. Grade	$\succ$	Bridge	"\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Ŕī	Trail Sign	1	Raised Trail Structure	₩	Min. Width	<del>                                     </del>	Bench	Š
	Drainage Structure		Water Bar	+	Intersection	×	Other	Station Boundary


Trail Name: Dagmar Dale Nature Trail South Lo Refuge Name: Wallkill River NWR

Trail Number: T300 Region: 5 Total Length: 0.81 Miles

Section Number	001	002	003	004
Section Length (miles)	0.05	0.31	0.04	0.41
SAMMS Number	10054836	10054836	10054836	10054836
Rating Date	05/17/2006	05/17/2006	05/17/2006	05/17/2006
Trail Section Information				
Trail Class	TC3	TC3	TC3	TC3
Surface Type	Mowed	Mowed	Mowed	Mowed
Surface Firmness	Firm	Firm	Firm	Firm
Width (inches)	60	60	60	120
Average Grade (%)	3.5	3.5	3.5	3.5
Average X-slope (%)	3.50	3.50	3.50	3.50
Trail Condition Information				
Deferred Maintenance				
CRV	\$1,555	\$9,642	\$1,244	\$25,504
FCI	0.00	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent	Excellent

#### Trail Condition TOTALS

Deferred Maintenance	CRV	FCI	Condition
	\$37,944	0.00	Excellent






Trail Name: Dagmar Dale Nature Trail North Lc Refuge Name: Wallkill River NWR

**Trail Number:** T301 Region: 5 Total Length: **1.74 Miles** 

Section Number	001	002
Section Length (miles)	0.06	1.68
SAMMS Number	10054836	10054836
Rating Date	05/17/2006	05/17/2006
Trail Section Information		
Trail Class	TC3	TC3
Surface Type	Mowed	Mowed
Surface Firmness	Firm	Firm
Width (inches)	60	60
Average Grade (%)	5.5	5.5
Average X-slope (%)	6.30	6.30
Trail Condition Information		
Deferred Maintenance		\$693
CRV	\$1,866	\$52,251
FCI	0.00	0.01
Condition	Excellent	Excellent

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
\$693	\$54,117	0.01	Good



	0.25	_	-	0.25		0.5	0.1	Miles
	Excellent	Go	od Fair		Poor =	Very Po	or 💮	Admin Road
	Begin Section Trailhead	<u></u>	Check Dam Retaining Wall		Step Feature Max. Grade	⊠ <u></u>	Gate Bridge	W E
<b>Λ</b> τ	Trail Sign  Drainage Structure		Raised Trail Structure Water Bar	+	Min. Width Intersection	<del>#</del>	Bench Other	Station Boundary

**Trail Name:** Liberty Loop Trail Refuge Name: Wallkill River NWR **Trail Number:** T302 Region: 5

\$153,643

0.00

Excellent

Section Number 001 Section Length (miles) 2.47 N/A SAMMS Number 05/17/2006 Rating Date **Trail Section Information** TC3 Trail Class Mowed Surface Type Firm Surface Firmness Width (inches) 120 Average Grade (%) 1.4 Average X-slope (%) 1.80 Trail Condition Information **Deferred Maintenance** 

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
	\$153,643	0.00	Excellent


CRV

FCI

Condition

Total Length: 2.47 Miles






Trail Name:Timberdoodle TrailRefuge Name:Wallkill River NWRTrail Number:T303Region: 5

Section Number 001 Section Length (miles) 2.56 N/A SAMMS Number 06/16/2011 Rating Date Trail Section Information TC3 Trail Class Native Surface Type Surface Firmness Hard Width (inches) 60 Average Grade (%) 3.5 Average X-slope (%) 3.90 **Trail Condition Information Deferred Maintenance** \$318,483 CRV 0.00 FCI Excellent Condition

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
	\$318,483	0.00	Excellent

Total Length: 2.56 Miles



**Trail Name:** Wood Duck Nature Trail Refuge Name: Wallkill River NWR **Trail Number:** T400 Region: 5


	_		
Section Number	001	002	003
Section Length (miles)	0.66	0.64	0.21
SAMMS Number	10023074	10023074	10023074
Rating Date	05/17/2006	05/17/2006	05/17/2006
Trail Section Information			
Trail Class	TC4	TC3	TC4
Surface Type	Gravel	Gravel	Mowed
Surface Firmness	Hard	Hard	Hard
Width (inches)	55	30	55
Average Grade (%)	1.5	1.5	1.5
Average X-slope (%)	1.40	1.40	1.40
Trail Condition Information			
Deferred Maintenance			
CRV	\$82,109	\$43,429	\$5,987
FCI	0.00	0.00	0.00
Condition	Excellent	Excellent	Excellent

#### **Trail Condition TOTALS**

Deferred Maintenance	CRV	FCI	Condition
	\$131,525	0.00	Excellent

Total Length: 1.51 Miles

#### TRAIL DEFICIENCY



Trail Name: Dagmar Dale Nature Trail North Lc Refuge Name: Wallkill River NWR

**Trail Number:** T301 Region: 5 Total Length: **1.74 Miles** 

Mile Post	0.22	1.16	1.32
Section Number	002	002	002
Photo Number	WARI_C2_0926	WARI_C2_0930	WARI_C2_0932
Deficiency	Drainage	Drainage	Drainage
Action	Build/Add	Build/Add	Build/Add
Item	Drainage Dips -each	Puncheon -If	Drainage Dips -each
Quantity	1	40	1
Deferred Maintenance	\$106	\$482	\$106

TRAIL NUMBER: T300 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0032 - MP 0.00 - Trailhead

TRAIL NUMBER: T300 STATION: Wallkill River NWR



Photo # WARI C2 0030 - MP 0.00 - Sign

TRAIL NUMBER: T300 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0031 - MP 0.00 - Sign

TRAIL NUMBER: T300 STATION: Wallkill River NWR



Photo # WARI\_C2\_0952 - MP 0.02 - Sign

TRAIL NUMBER: T300 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0033 - MP 0.04 - Begin Section

TRAIL NUMBER: T300 STATION: Wallkill River NWR



Photo # WARI\_C2\_0034 - MP 0.12 - Bridge -sf

TRAIL NUMBER: T300 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0035 - MP 0.26 - Sign

TRAIL NUMBER: T300 STATION: Wallkill River NWR



Photo # WARI\_C2\_0036 - MP 0.35 - Begin Section

TRAIL NUMBER: T300 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0038 - MP 0.35 - Begin Section

TRAIL NUMBER: T300 STATION: Wallkill River NWR




Photo # WARI\_C2\_0040 - MP 0.76 - Sign

TRAIL NUMBER: T301 STATION: Wallkill River NWR

DATE: 06/17/2011



Photo # WARI\_C2\_0919 - MP 0.00 - Sign

TRAIL NUMBER: T301 STATION: Wallkill River NWR



Photo # WARI\_C2\_0920 - MP 0.00 - Sign

TRAIL NUMBER: T301 STATION: Wallkill River NWR

DATE: 06/17/2011



Photo # WARI\_C2\_0921 - MP 0.00 - Trailhead

TRAIL NUMBER: T301 STATION: Wallkill River NWR



Photo # WARI\_C2\_0922 - MP 0.04 - Sign

TRAIL NUMBER: T301 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0924 - MP 0.06 - Begin Section

TRAIL NUMBER: T301 STATION: Wallkill River NWR



Photo # WARI\_C2\_0045 - MP 0.22 - Sign

TRAIL NUMBER: T301 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0046 - MP 0.35 - Sign

TRAIL NUMBER: T301 STATION: Wallkill River NWR



Photo # WARI\_C2\_0940 - MP 1.57 - Intersection

TRAIL NUMBER: T301 STATION: Wallkill River NWR

DATE: 05/17/2006




Photo # WARI\_C2\_0044 - MP 1.74 - Sign

TRAIL NUMBER: T302 STATION: Wallkill River NWR



Photo # WARI\_C2\_0047 - MP 0.00 - Trailhead

TRAIL NUMBER: T302 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0048 - MP 0.00 - Sign

TRAIL NUMBER: T302 STATION: Wallkill River NWR



Photo # WARI C2 0049 - MP 0.27 - Sign

TRAIL NUMBER: T302 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0050 - MP 1.72 - Sign

TRAIL NUMBER: T302 STATION: Wallkill River NWR



Photo # WARI C2 0051 - MP 1.73 - Sign

TRAIL NUMBER: T302 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0053 - MP 2.47 - Sign

TRAIL NUMBER: T303 STATION: Wallkill River NWR

DATE: 06/16/2011



Photo # WARI\_C2\_0903 - MP 0.00 - Sign

TRAIL NUMBER: T303 STATION: Wallkill River NWR

DATE: 06/16/2011



Photo # WARI\_C2\_0905 - MP 0.00 - Trailhead

TRAIL NUMBER: T303 STATION: Wallkill River NWR

DATE: 06/16/2011



Photo # WARI\_C2\_0906 - MP 0.01 - Gate

TRAIL NUMBER: T303 STATION: Wallkill River NWR

DATE: 06/16/2011



Photo # WARI\_C2\_0910 - MP 0.99 - Gate

TRAIL NUMBER: T303 STATION: Wallkill River NWR

DATE: 06/16/2011



Photo # WARI\_C2\_0909 - MP 1.04 - Gate

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0001 - MP 0.00 - Trailhead

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0002 - MP 0.00 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0003 - MP 0.00 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI C2 0004 - MP 0.00 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0005 - MP 0.01 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR




Photo # WARI C2 0006 - MP 0.02 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0007 - MP 0.04 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI C2 0008 - MP 0.26 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0009 - MP 0.26 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0010 - MP 0.29 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0011 - MP 0.29 - Bridge -sf

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0012 - MP 0.32 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0013 - MP 0.37 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI C2 0014 - MP 0.66 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0015 - MP 0.66 - Begin Section

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0016 - MP 0.71 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0018 - MP 0.80 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI C2 0020 - MP 0.89 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0021 - MP 1.00 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI C2 0022 - MP 1.06 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006




Photo # WARI\_C2\_0023 - MP 1.18 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0024 - MP 1.28 - Bridge -sf

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0025 - MP 1.30 - Bridge -sf

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0026 - MP 1.30 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR

DATE: 05/17/2006



Photo # WARI\_C2\_0027 - MP 1.30 - Begin Section

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0028 - MP 1.42 - Sign

TRAIL NUMBER: T400 STATION: Wallkill River NWR



Photo # WARI\_C2\_0029 - MP 1.47 - Sign

#### **Glossary of Terms and Abbreviations**

Acc Info Accessibility information available at trailhead.

**Action** Action required to correct deficiency.

Admin Road Administration Road. Admin Roads signed and

advertised as trails are included in the trail inventory but

a condition assessment is NOT done.

**Alt SAMMS** SAMMS number of Alternate Facility Type.

Alt Type Alternate Facility Type. Trail lies on a feature such as a

levee, dam, administrative road or bridge, which has a

separate SAMMS number.

**AvgGrade** The average grade of the trail (%). The average of five

measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**AvgSlope** The average cross-slope of the trail (%). The average of

five measurements for trails less than two miles and ten measurements for trails equal to or greater than 2 miles.

**Check Dam** A small dam constructed across a drainage ditch, swale,

or channel to lower the speed of concentrated flows.

**Condition** Subjective rating of trail based on Facility Condition

Index (FCI):

FCI </= - .01 = Excellent FCI .02 - .05 = Good FCI .06 - .10 = Fair FCI .11 - .20 = Poor FCI > - .20 = Failed

**Crib Wall** Retaining wall.

Current

Replacement Value

(CRV)

The value of an asset determined by the estimated cost of

replacing it.

**Def type** Deficiency Type: Trail Structure, Drainage, Erosion,

Obstacle, Trail Location, Other.

Deferred

**Maintenance (DM)** 

Maintenance that was not performed when scheduled.

i

Elem ID Unique identifier for each trail section: Org Code-Trail

Number-Section Number.

**Facility** 

**Condition Index (FCI)** 

DM/CRV

Grouped features include non-unique signs (mileposts, **Grouped Features** 

> interpretive signs, species identification, etc.), water bars, check dams, steps, drain and drainage dips. For any given grouped feature, a GPS point and photo are taken for the first occurrence only and the total number of features in the group are entered into the "quantity"

field of the data dictionary.

Type of accessibility information available at trailhead: Info Type

brochure, sign or other.

Item on which the "Action" (see above) will be **Item** 

performed.

Managed use of the trail: HIKE, BIKE, NSPC (non-Manage Use

specified), PACK, POR (portage), SNOWSHOE, XSKI

(cross-country ski), OTHER.

Distance of a trail feature or deficiency from the MP

Trailhead.

Puncheon Log footbridge used in area of poor drainage.

**Raised Trail** 

Structure

Boardwalk, Turnpike, Puncheon.

Trail Class: I-V (see Appendix? for trail class T Class

descriptions).

Trail Designation: Standard (Std), National Historic Trail Tr Desig

(NHT), National Recreation Trail (NRT), National

Scenic Trail (NST).

Trail tread elevated with dirt, rock or other aggregate Turnpike

from parallel side ditches and held in place by logs.